

Electrotek Model R1200 - Packaged Capacitor

Vishay (Roederstein) offers a full line of custom high voltage capacitors. For any high voltage product not referred to below, please contact Electrotek Ltd.

Capacitor Specification

Manufactured by	Vishay Electronic GmbH (Roederstein), Germany
Voltage Ratings	2400V, 4160V, 4800V
Maximum kVAr per 3 phase casing (60 Hz)	500 kVAr @ 2400V 500 kVAr @ 4160V 500 kVAr @ 4800V
Specifications	CSA CAN3-C155-M84 (1986), CSA C22.2 No.190, IEC 60871-1, VDE 560/4, AS 2897, ANSI IEEE Std.18, NEMA CP-1, BS 1650
Insulation	non-PCB, natural oil impregnant
Ambient Temperature	-20°C to +45°C
Loading Capacity	1.10 times rated voltage, 1.80 times rated current
Frequency Ratings	60 Hz
Capacitor Casing	stainless steel
Losses	≤ 0.05 Watts per kVAr
Discharge Resistors	50V or less in five minutes after disconnection of supply voltage
Dielectric	polypropylene film
Safety Features	self-healing
Special Applications	designed for use in harmonic filters (see page 2)

Assembly Specification

	Electrotek Model R1200
Complete with:	3 HRC fuses
	NEMA 2-hole termination pads
	NEMA 1 powder coated enclosure



Available Options	Electrotek Model R1200
	inrush current limiters
	blown fuse indicators
	contactors
	iron core reactors for harmonic filtering (tuned / detuned)
	NEMA 2, 3R or 12 powder coated enclosures